

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("4313227" "5062151" "5152003" "6192070").PN.	USPAT	OR	OFF	2009/08/03 14:41
S2	7253	infrared near receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:23
S3	897	S2 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:24
S4	4	S3 same search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:24
S5	3015	frequency near search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:25
S6	10	S2 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:25
S7	69243	predetermined near frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:31
S8	255	search with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:31
S9	29	search near S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:31
S10	1	S9 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:31
S11	3	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:36

S12	111	S8 and radio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:38
S13	0	S8 same memeory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:39
S14	20	S8 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:39
S15	0	radio near headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:44
S16	203	radio near headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:44
S17	7	S16 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:44
S18	13	("4659878" "5260915" "5313661" "5553312" "5570413" "5604921" "5634201" "5873031" "5877675" "5899855" "5913163" "5960366" "5960367").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 16:45
S19	2028	headset same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 16:49
S20	1044	S19 same (IR in infrared)	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/05 16:50
S21	2214	headset same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:50
S22	1051	S21 same (IR in infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:50
S23	5	S22 same search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 16:50

S24	2705528	(memory or store) with predetermined ady frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:01
S25	5661388	J	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:01
S26	1856	(memory or store) with predetermined adj frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:01
S27	1	S26 same headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:02
S28	120783	(memory or store) with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:03
S29	147	S28 same headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:03
S30	4096	(memory or store) same predetermined adj frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:03
S31	147	S29 same headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:03
S32	3	S31 same search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:04
S33	0	S31 and frequency with search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:05
S34	106	S31 and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:06
S35	0	"headset.t.n"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:06
S36	4034	headset.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:06

S37	5	S34 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:06
S38	309	search with (predetermined adj (frequency or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:09
S39	252	search with (predetermined adj (frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:09
S40	0	search with (predetermined adj (frequency adj rage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:09
S41	44	search with (predetermined adj (frequency adj range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:09
S42	31	tour with headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:10
S43	27	frequency adj search with predetermined adj frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 17:33
S44	1095	search with ((predetermined or pre \$1 set) near (frequency or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:36
S45	0	S44 same headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:36
S46	125	S44 same radio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:36
S47	1	S44 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:36
S48	24	S46 same (memory or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:37
S49	100	(scan or search) with (predetermined adj (frequency adj range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:45

S50	45	S49 and (IR or infrared or radio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:45
S51	6	S49 same (memory or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:46
S52	3	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:46
S53	100	(scan or search) with (predetermined adj frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:48
S54	322	(IR or infrared or radio) near headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:49
S55	165203	"322" and (memory or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:49
S56	148	S54 and (memory or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:50
S57	0	S54 and ((memory or store) with (pre\$1set or predetermined) near frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:50
S58	93	((memory or store) with (pre\$1set or predetermined) near frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:51
S59	2971	wireless near headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:52
S60	1921	S59 and (memory or storage or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:53
S61	1	S59 and ((memory or storage or store) same predetermined adj frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:53
S62	280	S59 and ((memory or storage or store) same presetadj frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:53

S63	1	S59 and ((memory or storage or store) same preset adj frequency adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:54
S64	1099	search with within with predetermined with range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:02
S65	103	search with within with predetermined with range with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:02
S66	10	S65 same (memory or store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:05
S67	58	scan with predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:08
S68	1106	scan with frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:29
S69	45	S68 with radio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:29
S70	0	S68 with (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:29
S71	3	S69 same (memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 18:31
S72	45	memory with predetermined adj frequency adj ranges	USPAT	OR	ON	2009/08/05 18:43
S73	5	S72 same receiver	USPAT	OR	ON	2009/08/05 18:43
S74	14	(IR or infrared) near headset	USPAT	OR	OFF	2009/08/05 18:48
S75	38	(IR or infrared) near headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 18:48
S76	445	(IR or infrared) with headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 18:53

S77	10	S76 and tour	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 18:53
S78	22	S76 and frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 18:55
S79	2	store near predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 19:04
S80	3	store near predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 19:04
S81	3	(store or save) near predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 19:05
S82	3	(store or save or memeory) near predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 19:05
S83	21	(store or save or memeory) with predetermined adj frequency adj range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 19:05
S84	9563	predetermined near (wavelength or frequency) near range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:50
S85	142	(search or scan) with S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:50
S86	250	(memor\$4 or stor\$4) with S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:51
S87	13	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:51
S88	2973	(IR or infrared or radio) with headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:57
S89	2411	(search or scan) with frequency near range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:57

S90	2	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:57
S91	0	S86 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:59
S92	59	(memor\$4 with stor\$4) with S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 09:59
S93	1268	bluetooth same tun\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:44
S94	15	bluetooth same tun\$4 with scan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:44
S95	18	bluetooth same tun\$4 with search\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:44
S96	0	(memor\$4 with stor\$4) with frequency near rage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:48
S97	784	(memor\$4 with stor\$4) with (frequency near range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:48
S98	207	S97 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:48
S99	7	S98 and headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:48
S100	14	S97 same wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:49
S101	59	S97 and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 11:49
S102	4332	bluetooth.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 14:59

S103	254	S102 and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:00
S104	171	S103 and (memor\$4 or stor\$4 or sav\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:00
S105	0	S103 and ((memor\$4 or stor\$4 or sav\$4) with (frequency or wavelength) near (ranges or space))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:01
S106	0	S103 and ((memor\$4 or stor\$4 or sav\$4) with (frequency near ranges))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:02
S107	171	S103 and ((memor\$4 or stor\$4 or sav\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:02
S108	30	S103 and ((memor\$4 or stor\$4 or sav\$4) with (frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:02
S109	4315	((memor\$4 or stor\$4 or sav\$4) with (frequency near ranges))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:35
S110	1407	S109 and (wireless or IR on infrared or broadcast\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:36
S111	69	S109 and (wireless or IR on infrared or broadcast\$) and (headset or headphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:37
S112	580	(headset or headphones) same conference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:48
S113	136	S112 and infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:48
S114	112	S113 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:48

S115	23	S113 and (memory with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:49
S116	1	S109 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:52
S117	29	S113 and ((memor\$4 or stor\$4 or sav\$4) with (frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:53
S118	25	S113 and compatib\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 15:56
S119	3649	((memor\$4 or stor\$4 or sav\$4) with (different near frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:00
S120	623	S119 and (wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:00
S121	115	S120 and (IR or infrared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:00
S122	6	S121 and headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:00
S123	4	S119 with compat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:01
S124	46283	frequency adj modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:03
S125	444	different near frequency adj modulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:03
S126	1	S125 with compatib\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:03
S127	5	S125 same compatib\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:04

S128	10	S121 and (headset or headphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:08
S129	26	S113 and (memory with (frequency or id))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:10
S130	0	S113 and (receiv4 near different near frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:11
S131	8	S112 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:11
S132	4	S131 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:11
S133	0	S113 and (receiv4 with frequencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:14
S134	0	S113 and (receiv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:14
S135	17	S113 and (different near frequencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:14
S136	4405	(IR or infrared) near receiver	USPAT	OR	OFF	2009/08/06 16:39
S137	11332	(IR or infrared) near receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:39
S138	1686	S137 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:39
S139	198	S137 same ((memor\$ or stor\$) with (frequency or channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:39
S140	8	S139 and (headset or headphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:41

S141	719	S137 and (headset or headphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:57
S142	139	S137 same (headset or headphone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:57
S143	8	S142 and conference	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 16:57
S144	2	S142 and lecture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 17:01
S145	0	memory with save with frequencies with favorite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 17:04
S146	0	ave with frequencies with favorite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 17:04
S147	0	save with frequencies with favorite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 17:04
S148	24	memory with frequencies with favorite	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 17:04
S149	2	latch\$1in near unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:03
S150	1461	stor\$ with (frequency or channel) with recognition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:06
S151	252	S150 and infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:07
S152	71	S150 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:07
S153	17788	stor\$ with (frequency or channel or data) with recognition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:16

S154	213	S153 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:16
S155	12	S154 same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:16
S156	2992	filter with peak adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:19
S157	265	filter near peak adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:20
S158	166	S157 and (estimation or detection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:20
S159	38	S157 same (estimation or detection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:20
S160	30	S157 same (pulse)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:23
S161	10	S160 same noise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:27
S162	137	S157 and (threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:38
S163	16	S160 and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:41
S164	5	"3944392"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:42
S165	20	"3944932"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:42
S166	5	S157 same ((estimation or detection) near circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:53

S167	16	S157 same (low and high)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:54
S168	3	(variable near filter) near peak adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:55
S169	17	S157 with noise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 18:59
S170	4	S169 same pulse	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:00
S171	32	S157 same (comparator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:03
S172	0	filter near bottom adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:09
S173	39	noise near peak adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:11
S174	755	filter with (bit adj error adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:56
S175	592	S174 and noise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:56
S176	136	S174 with noise	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:56
S177	0	S176 same peak adj detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:56
S178	0	S176 same optical adj receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:57
S179	14	S176 and optical adj receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/06 19:57

S180	1810	headset with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:10
S181	111	S180 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:10
S182	229	headset with (tours or conference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:11
S183	0	S181 and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:11
S184	229	S182 same (tour or conference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:11
S185	2	"5852056".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:13
S186	2	"5852506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:13
S187	8447	display with received adj signals	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:46
S188	5	S187 same (infrared and IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:46
S189	245	S187 same (infrared or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:46
S190	10	S189 same select\$4 with signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 20:47
S191	162	((ROLF) near2 (MEYER)).INV.	US-PGPUB; USPAT	OR	OFF	2009/08/12 10:35
S192	178	((ROLF) near2 (MEYER)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/08/12 10:35
S193	15	((WOLFGANG) near2 (NIEHOFF)).INV.	US-PGPUB; USPAT	OR	OFF	2009/08/12 10:35

S194	36	((WOLFGANG) near2 (NIEHOFF)).INV.	EPO; JPO; DERWENT	OR	OFF	2009/08/12 10:35
S195	3966264	S192 or S193 or S194 or "31"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:35
S196	381	S192 or S193 or S194 or S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:36
S197	3	S196 and (infrared with receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:36
S198	142	stor\$4 with frequency same (infrared with receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:41
S199	0	stor\$4 with modulation near frequency same (infrared with receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:42
S200	2	stor\$4 with modulation near frequency same (infrared with receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 10:42
S201	102	infrared adj receiver with tuner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 11:34
S202	15	S201 and headset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 11:35
S203	227	remote adj download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:27
S204	0	S203 same infrared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:27
S205	1	S203 same (infrared or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:27
S206	91	S203 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:27

S207	0	S206 and remote adj download with advantage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:28
S208	2	S206 and remote adj download with transmitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 12:29
S209	20	remote adj download with program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 13:58
S210	15	remote adj download with update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:01
S211	227	remote adj download	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:26
S212	91	S211 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:27
S213	18	(stor\$4 or save\$) near modulation adj frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:50
S214	26	switch with (scan near tun\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 14:56
S215	15	((WOLFGANG) near2 (NIEHOFF)).INV.	US-PGPUB; USPAT	OR	OFF	2009/08/12 16:38
S216	555	398/202.ccls.	USPAT	OR	OFF	2009/08/12 18:19
S217	96	S216 and (infrared or IR)	USPAT	OR	OFF	2009/08/12 18:19
S218	836	398/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:19
S219	142	S218 and (infrared or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:19
S220	1	S219 and (tunning or tuner)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:20

S221	3	S219 and (scan or search with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:20
S222	1	S219 and ((scan or search) with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/12 18:21

8/ 12/ 2009 6:27:33 PM**H:\ Searches\ 10577508.wsp**